

Ground support that's  
*grounded in support &*  
rooted in experience.

SHIRE.EU



shire





## TT22E - DC ELECTRIC TOW TRACTOR



### The 5-seater electric *tow tractor*

The 5-seater version of the SHIRE TT22e features an extended cabin designed to accommodate additional personnel, with a forward-facing rear bench seat. This configuration makes it ideal for ground-handling operations where team transport is essential.

Thanks to the integration of a lighter 80V lithium-ion battery system, the 5-seater version delivers increased passenger capacity while maintaining a vehicle weight comparable to the 2-seater variant.

Most technical specifications and overall dimensions remain unchanged, with lithium-ion technology delivering faster charging, reduced maintenance, and improved energy density.

Power data	Drawbar pull	22 kN
	Maximum trailing load	25.000 kg
	Maximum speed	25 km/h
	Maximum gradient	30%
Geometry	Minimum turning radius	3250 mm
	Overall length	3400 mm
	Overall width	1450 mm
	Overall height	1980 mm
	Front track width	1230 mm
	Rear track width	1210 mm
	Wheelbase	1625 mm
	Passenger Capacity	5
	Ground clearance	130 mm
Weight	Dead weight (incl. battery)	4.500 kg
Tyres	Tyres front	185R14
	Tyres rear	7.00-12-12PR
Powertrain	Power	25kW
	Braking system	Electro-hydraulic braking system
	Steering system	Electro-hydraulic steering system
Battery	Voltage / Energy	80V / 67.2 kWh
	Capacity	840 Ah
Cabin	Conditioning	Electric heating



+32 03 772 12 37

[info@shire.eu](mailto:info@shire.eu)

**SHIRE.EU**

Hoeikensstraat 5 - UNIT 11

2830 Willebroek